

MRSMMS Series

7"/9"/12" Surface Mount With Motion Sensor



Surface Mount With Motion Sensor


The MRSMMS Series Surface Mount Light with Motion Sensor combines modern low-profile lighting with automatic motion detection for enhanced convenience, energy savings, and safety. Featuring integrated motion sensor technology and 5CCT selectable color temperatures, the series automatically provides illumination when occupancy is detected, making it ideal for hallways, closets, stairways, laundry rooms, garages, and residential or commercial indoor spaces.

Available in 7", 9", and 12" sizes, these fixtures deliver high CRI 90+ lighting performance with smooth TRIAC dimming compatibility and easy surface mount installation.



Key Features — Surface Mount With Motion Sensor


- Integrated motion sensor for automatic lighting control
- Available in 7", 9", and 12" sizes
- Low-profile modern surface mount design
- 5CCT selectable: 2700K / 3000K / 3500K / 4000K / 5000K
- High CRI 90+ for accurate color rendering
- TRIAC dimming compatible
- Energy-saving automatic ON/OFF operation
- Smooth and uniform illumination
- Easy surface mount installation
- Ideal for closets, hallways, stairways, laundry rooms, and garages



Automatically turn the light ON at dusk when movement is detected and OFF at dawn.



Dimension



| Item Number | A(Diameter) | B(Hight) |
|------------------|-------------|----------|
| MRFMMS-712-5CCT | 7.09" | 0.6" |
| MRFMMS-918-5CCT | 8.86" | 0.6" |
| MRFMMS-1224-5CCT | 11.81" | 0.6" |



MRSMMS Series

7"/9"/12" Surface Mount With Motion Sensor



Technical Summary

| Item Number | Description | Wattage | Lumens | Color Temp. | Voltage | CRI | Dimming |
|------------------|-------------------------------|---------|--------|-----------------|---------|-----|---------|
| MRFMMS-712-5CCT | 7" Surface mount with Sensor | 12W | 960LM | 27/30/35/40/50k | 120V | 90+ | TRIAC |
| MRFMMS-918-5CCT | 9" Surface mount with Sensor | 18W | 1440LM | 27/30/35/40/50k | 120V | 90+ | TRIAC |
| MRFMMS-1224-5CCT | 12" Surface mount with Sensor | 24W | 1680LM | 27/30/35/40/50k | 120V | 90+ | TRIAC |

Construction

- Slim low-profile fixture design
- Durable housing construction for long-term reliability
- Integrated motion sensor technology
- Modern architectural appearance

Optics

- High-efficiency LED light source
- Smooth and even light distribution
- 5CCT selectable color temperature design
- CRI 90+ for enhanced visual comfort and color accuracy
- Low-glare illumination performance

Driver

- Integrated LED driver
- 120V input voltage
- Supports TRIAC dimming
- Stable and flicker-free operation

Mount

- Surface mount ceiling installation
- Quick and easy installation structure
- Suitable for residential and commercial indoor applications





MRSMMS Series Order Sheet

| | |
|----------------|--|
| Project Name: | |
| Prepare By: | |
| Date: | |
| Contact/Phone: | |

| | Item Number | Description |
|--|------------------|------------------------------|
| | MRFMMS-712-5CCT | 7" Surface mount with Senor |
| | MRFMMS-918-5CCT | 9" Surface mount with Senor |
| | MRFMMS-1224-5CCT | 12" Surface mount with Senor |

