


# MWVL Series



## 2ft/3ft Bath Light

### Bath Light

The **MWVL Series Bath Light** is designed to provide bright, uniform illumination for bathroom and vanity applications. Available in **2ft and 3ft lengths**, it features a clean linear design with selectable color temperature options for flexible lighting. Ideal for **residential bathrooms, powder rooms, mirrors, and vanity areas**, it delivers comfortable and efficient lighting for daily use.




### Key Features — Bath Light

- Available in 2ft and 3ft lengths
- 3CCT selectable (2700K–5000K) on most models
- High-efficiency LED with uniform light distribution
- TRIAC dimming compatible (120V)
- CRI 80+ for reliable color rendering
- Modern linear design for bathroom/vanity applications
- Energy-efficient and low maintenance

	2ft	3ft
<b>Color Temp.</b>	3CCT	3CCT/3000K
<b>Wattage</b>	25W	30W/36W
<b>Lumens</b>	1750LM	2100LM/3060LM
<b>Voltage</b>	120V	120V
<b>Dimming</b>	TRAIC	TRAIC
<b>CRI</b>	80+	80+



### Dimension



Item	A	B	C
2ft	24.75"	4"	5.875"
3ft	48.8"	4.11"	5"



## 2ft/3ft Bath Light

### Technical Summary

Item Number	Description	Wattage	Lumens	Color Temp.	Voltage	CRI	Dimming
MWVL2FT25W-3CCT	2ft Bath Light	25W	1750LM	30/40/50K	120V	80+	TRIAC
MWVL3FT-36W-3CCT	3ft Bath Light	30W	2100LM	30/40/50K	120V	80+	TRIAC
MWVL3FT36W30K	3ft Bath Light	36W	3060LM	3000K	120V	80+	TRIAC

### Construction

- Durable aluminum housing for long-term performance and heat dissipation
- Slim linear profile for modern bathroom aesthetics
- Clean white finish for versatile interior matching
- Designed for wall-mounted vanity installation

### Driver

- Integrated high-efficiency LED driver
- 120V input voltage
- Supports TRIAC dimming for smooth brightness control
- Stable, flicker-free operation

### Optics


- Selectable color temperature options (2700K–5000K) on 3CCT models
- Single color temperature option (3000K) available for specific models
- CRI 80+ for natural and consistent color rendering
- Frosted diffuser for soft, even, and glare-free illumination

### Mount

- Wall-mounted installation over mirror or vanity area
- Quick-install bracket system for secure and easy mounting
- Suitable for horizontal or vertical installation depending on application
- Designed for residential bathroom environments

### Photometry

MWVL3FT36W30K



Maximum Candela = 680.53 Located At Horizontal Angle = 315, Vertical Angle = 1  
 # 1 - Vertical Plane Through Horizontal Angles (315 - 135) (Through Max. Cd.)  
 # 2 - Vertical Plane Through Horizontal Angles (0 - 180)  
 # 3 - Horizontal Cone Through Vertical Angle (11) (Through Max. Cd.)



# MWVL Series Order Sheet

## 2ft/3ft Bath Light

Project Name:	
Prepare By:	
Date:	
Contact/Phone:	

	Item Number	Description
	MWVL2FT25W-3CCT	2ft Bath Light
	MWVL3FT-36W-3CCT	3ft Bath Light
	MWVL3FT36W30K	3ft Bath Light

